



# AT&T WIC, WUC and Generator Foundation Ordering Guide



**1-800-453-0050**

[www.emiproducs.com](http://www.emiproducs.com)

11230 Neeshaw Drive, Houston, Texas 77065

## Table of Contents

WIC Platform	Page
80" x 80" WIC Gravity/Pad Mount	4
10' x 10' WIC Gravity/Pad Mount	4
WIC Helical Mount	5
WIC Concrete Mount	6
WIC/Combo Platforms	Page
182" x 80" WIC/Combo Elevated Platform	7
230" x 145" WIC/Combo Elevated Platform	8
230" x 145" WIC/Combo Elevated Platform w/o helicals	9
166" x 80" WIC/Combo Gravity Mount Skid Platform	10
166" x 80" WIC/Combo Helical Mount Grade Platform	11
166" x 80" WIC/WICG Gravity Mount Skid Platform	12
166" x 80" WIC/WICG Helical Mount Grade Platform	13
WUC Platform	Page
102" x 75" WUC Gravity/Pad Mount w/Step	16
102" x 75" WUC Gravity/Pad Mount	17
180" x 87 1/4" WUC/Combo Platform w/ Canopy	18
180" x 87 1/4" WUC/Combo Platform w/o Canopy	19
180" x 87 1/4" WUC/Combo Platform w/ Mesh Canopy	20
Generator Platforms Cont.	Page
192" x 120" Generator up to 50 kW Elv. Platform w/ Stairs	21
192" x 120" Generator up to 50 kW Elv. Platform w/ Ladder	22
102" x 75" Generator up to 50 kW Grav/Pad Mnt Platform	23

Generator Platforms Cont.	Page
156" x 106" Generator up to 50 kW Grav/Pad Mnt Platform	23
53" x 35" Vertical Polar Generator Helical Mount Plinth	24
72" x 53" Helical Mount Generator Platform	25
144" x 53" Helical Mount Generator Platform	26
53" x 36" Vertical Generator Pad Mount Plinth	27
228" x 43 3/8" Generator Plinth Kit	28
48" x 48" WUC Gravity/Pad Mount Platform for Growth	29
Foundations	Page
6" Diameter x 7' Quad Mount Helical Kit	30
10" Diameter x 10' Single Stud Mount Helical Kit (4 Pk)	31
10" Diameter x 21' Triple Flight Helical & Ext. Kit (7 Pk)	32
6" Dia. Pad Mount Extension Single Stud Mount (4 Pk)	33
6" Diameter Pad Mount Extension Quad Mount	34
10" Diameter Foundation Extensions	35
Accessories	Page
Platform Extension "Wing" Kit	14
WIC/Combo 90° Stair Landing Kits	15
Single Step Stair Kit	33
WIC & Genset Platform Fully Grated Conversion Kit	33
Canopy for WIC - WUC Outdoor Platform - 0146	36
114" X 144" Pad Mount Canopy	37
302" X 130" Pad Mount Solar Canopy Frame & Panel kits	38

## AT&T WIC [WALK IN CABINET]

**AT&T Standards determine the selection of foundation type.**

1. Helical - 92% locations nationwide (standard option).
2. Concrete Pier/Gravity Mount - Rocky terrain/mountain top locations (where helical is not an option due to ground conditions).
3. Concrete Pad - Existing pad (no new pouring). Space available on the existing pad due to decommission of legacy enclosures, relocation.



## 80" x 80" WIC Gravity/Pad Mount

### Part Number

**AT&T-** CEQ.53686      **EMI-** [1000-0000-0103](#) ↓  
↓ Click the **EMI** part number to download drawing.

### Description


80" x 80" WIC gravity/pad mount platform kit, 2-step stair with leveling hardware.

### Part Number

**AT&T-** CEQ.46388      **EMI-** [1000-0000-0162](#) ↓  
↓ Click the **EMI** part number to download drawing.

### Description

10' x 10' WIC gravity/pad mount platform kit, 2-step stair with leveling hardware.





## WIC Helical Mount

### Part Number


AT&T- CEQ.53680

EMI- [1000-0000-0101](#) ↓

↓ [Click the EMI part number to download drawing.](#)

### Description

WIC corner mount helical kit, 2-step stair with leveling hardware.



## WIC Concrete Mount

### Part Number





AT&T- CEQ.53655

EMI- [1007-0000-0012](#) ↓

↓ [Click the EMI part number to download drawing.](#)



### Description

WIC pad mount corner kit, 17" mounting feet, 2-step stair with leveling hardware.



## 182" x 80" WIC/Combo Elevated Platform

Part Number	Elevation
AT&T- CEQ.53687    EMI- <a href="#">1000-0010-0090-03</a> ↓	3 ft
AT&T- CEQ.*****    EMI- <a href="#">1000-0010-0090-04</a> ↓	4 ft
AT&T- CEQ.53670    EMI- <a href="#">1000-0010-0090-06</a> ↓	6 ft
↓ Click the EMI part number to download drawing.	
Description	
Elevated WIC-genset combo platform kit, 182" x 80" for 3' to 6' elevations. Includes helicals and entry stair.	



GRATING REMOVED FOR CLARITY

## WUC/Combo Elevated Platform **Required** Conversion Kit & Optional Canopy [0146]

Part Number	Elevation
AT&T- CEQ.53671 EMI- 1000-0010-0146-04 ↓	4 ft
AT&T- CEQ.53666 EMI- 1000-0010-0146-06 ↓	6 ft
AT&T- CEQ.53656 EMI- 1000-0010-0146-08 ↓	8 ft
AT&T- CEQ.53659 EMI- 1000-0010-0146-10 ↓	10 ft
AT&T- CEQ.53664 EMI- 1000-0010-0146-12 ↓	12 ft
AT&T- CEQ.57514 EMI- 1000-0010-0146-14 ↓	14 ft
AT&T- CEQ.57484 EMI- 1000-0010-0146-16 ↓	16 ft
AT&T- CEQ.57168 EMI- 1000-0010-0146-18 ↓	18 ft
AT&T- CEQ.57166 EMI- 1000-0010-0146-20 ↓	20 ft

↓ Click the EMI part number to download drawing.

### Description

Elevated WUC-genset combo platform kit, 230"x145" up to 30KW Genset on the back. Includes 10" dia. helical foundations and entry stair. 90 degree landing included in all elevations

### Special Notes

**MUST BE ORDERED WITH CONVERSION KIT PART # 1000-0010-0160 - Grating KIT**

### Part Number

AT&T- CEQ.53677 EMI- 1000-0010-0160 ↓

### Description





Conversion kit to modify 80" x 80" genset platform to fully grated for WUC or cabinet installation.

### Part Number

AT&T- CEQ.57485 EMI- 1001-0030-0036 ↓

### Description

184" x 117" bolt together canopy for WIC and WUC outdoor platform series 1000-0010-0146 and 1000-0010-0557.





## WUC/Combo Elevated Platform **Required** Conversion Kit & Optional Canopy [0557]

Part Number	Elevation
AT&T- CEQ.59829    EMI- <a href="#">1000-0010-0557-04</a> ↓	4 ft
AT&T- CEQ.59822    EMI- <a href="#">1000-0010-0557-06</a> ↓	6 ft
AT&T- CEQ.59814    EMI- <a href="#">1000-0010-0557-08</a> ↓	8 ft
AT&T- CEQ.59831    EMI- <a href="#">1000-0010-0557-10</a> ↓	10 ft
AT&T- CEQ.59827    EMI- <a href="#">1000-0010-0557-12</a> ↓	12 ft
AT&T- CEQ.59824    EMI- <a href="#">1000-0010-0557-14</a> ↓	14 ft
AT&T- CEQ.59825    EMI- <a href="#">1000-0010-0557-16</a> ↓	16 ft
AT&T- CEQ.59832    EMI- <a href="#">1000-0010-0557-18</a> ↓	18 ft
AT&T- CEQ.59833    EMI- <a href="#">1000-0010-0557-20</a> ↓	20 ft

↓ Click the EMI part number to download drawing.

### Description

Elevated WUC-genset combo platform kit, 230"x145" up to 30KW Genset on the back. Includes entry stair. 90 degree landing included in all elevations. Does not include helical foundations.

### Special Notes

**MUST BE ORDERED WITH CONVERSION KIT PART # 1000-0010-0160 - Grating KIT**

### Part Number

AT&T- CEQ.53677    EMI- [1000-0010-0160](#) ↓

### Description





Conversion kit to modify 80" x 80" genset platform to fully grated for WUC or cabinet installation.

### Part Number

AT&T- CEQ.57485    EMI- [1001-0030-0036](#) ↓

### Description

184" x 117" bolt together canopy for WIC and WUC outdoor platform series 1000-0010-0146 and 1000-0010-0557.



## 166" x 80" WIC/Combo Gravity Mount Skid Platform

### Part Number



AT&T- CEQ.53657

EMI- [1000-0010-0123](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

WIC-genset combo 166"x 80" gravity mount platform for 80"x80" WIC and genset. Includes 2-step, 3-step stair and gravity mount foundations



## 166" x 80" WIC/Combo Helical Mount Grade Platform

### Part Number



AT&T- CEQ.53663

EMI- [1000-0010-0122](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

WIC-genset combo 166"x 80" helical mount platform and genset. Includes 1-step, 2-step entry stair and helical foundations.



## 166" x 80" WIC/WICG Gravity Mount Skid Platform

### Part Number



AT&T- CEQ.53662

EMI- [1000-0010-0179](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

WIC/WICG combo platform kit for 80"x 80" WIC and 20kW ID genset, includes (2) 2-step entry stairs and gravity mount foundations.





## 166" x 80" WIC/WICG Helical Mount Grade Platform

### Part Number



AT&T- CEQ.53684

EMI- [1000-0010-0171](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

WIC/WICG combo platform kit for 80"x 80" WIC and 20kW ID genset, includes (2) 2-step entry stairs and helical foundations.



## Platform Extension "Wing" Kit

### Part Number



AT&T- CEQ.53681      **EMI-** [1000-0020-0032](#) ↓  
 ↓ Click the **EMI** part number to download drawing.

### Description

OD cabinet platform 30kW generator extension with two 12" extension wings set.



### For Use On The Following Platforms

**EMI-** [1000-0010-0122](#) ↓  
**EMI-** [1000-0010-0123](#) ↓  
**EMI-** [1000-0010-0102](#) ↓  
**EMI-** [1000-0010-0128](#) ↓  
**EMI-** [1000-0010-0131](#) ↓



## WIC/Combo 90° Stair Landing Kits

Part Number	Elevation
AT&T- CEQ.53653    EMI- <a href="#">1000-0010-0161-04</a> ↓	4 ft
AT&T- CEQ.53685    EMI- <a href="#">1000-0010-0161-06</a> ↓	6 ft
AT&T- CEQ.53683    EMI- <a href="#">1000-0010-0161-08</a> ↓	8 ft
AT&T- CEQ.53651    EMI- <a href="#">1000-0010-0161-10</a> ↓	10 ft
AT&T- CEQ.*****    EMI- <a href="#">1000-0010-0161-12</a> ↓	12 ft
↓ Click the EMI part number to download drawing.	
Description	
4' to 12' elevation stair kit for WIC combo platform, to add a 90 degree stair entry.	



## 102" x 75" WUC Gravity/Pad Mount Platform



WUC is an aluminum construction cabinet arranged for third-party AC load center, DC power system, batteries, and load equipment. 3-bay cabinet trays, 18kW equipment space, 14RU power system space, 3 battery trays, 18kW capacity door mounted thermosiphon HEX cooling, rear access hatches, 6kW capacity DC heaters.

### Part Number

AT&T- CEQ.43621      EMI- [1000-0010-0238](#) ↓  
 ↓ Click the EMI part number to download drawing.

### Description

WUC gravity/pad mount platform 102" x 75" with leveling hardware.





## 102" x 75" WUC Gravity/Pad Mount Platform

### Part Number


AT&T- CEQ.54437

EMI- [1010-0010-0118](#) ↓

↓ Click the **EMI** part number to download drawing.



### Description

WUC gravity mount platform assembly 102" x 75" with steel grating and leveling feet.



## 180" x 87 1/4" WUC/Combo Platform with Canopy

Part Number	Elevation
AT&T- CEQ.53654    EMI- 1000-0010-0102-FC    ↓	Ground
AT&T- CEQ.53679    EMI- 1000-0010-0102-SC    ↓	Ground
↓ Click the EMI part number to download drawing.	
<b>Description</b>	
OD cabinet equipment platform w/canopy 180" x 87 1/4". Includes stair kit, lighting, and unistruts.	
<b>Special Notes</b>	
FC - Factory Configured - pre-assembled unit	
SC - Site Configured - on-site assembly	
4 ft elevated unit uses ladder for compact footprint	



CANOPY & GRATING  
HIDDEN FOR CLARITY

## 180" x 87 1/4" WUC/Combo Platform without Canopy

### Part Number

AT&T- CEQ.53675      EMI- [1000-0010-0128-FC](#) ↓

AT&T- CEQ.53675      EMI- [1000-0010-0128-SC](#) ↓



↓ Click the **EMI** part number to download drawing.

### Description

OD cabinet gravity platform without canopy 180" x 87 1/4". Includes 1-step entry stair, gravity mount feet and unistrut kit, factory assembled.

### Special Notes

FC - Factory Configured - pre-assembled unit  
SC - Site Configured - on-site assembly  
4 ft elevated unit uses ladder for compact footprint



## 180" x 87 1/4" WUC/Combo Platform with Mesh Canopy

### Part Number

AT&T- CEQ.53661      EMI- [1000-0010-0131-FC](#) ↓

AT&T- CEQ.53673      EMI- [1000-0010-0131-SC](#) ↓



↓ Click the **EMI** part number to download drawing.

### Description

OD cabinet gravity platform 180" x 87 1/4" with expanded metal canopy (not solid). Includes 1-step entry stair, gravity mount feet and unistrut kit.

### Special Notes

FC - Factory Configured - pre-assembled unit  
SC - Site Configured - on-site assembly






## 192" x 120" Generator up to 50 kW Elevated Platform with Stairs

Part Number	Elevation
AT&T- CEQ.65649 EMI- <a href="#">1000-0010-0567-04</a> ↓	4 ft
AT&T- CEQ.65663 EMI- <a href="#">1000-0010-0567-06</a> ↓	6 ft
AT&T- CEQ.65652 EMI- <a href="#">1000-0010-0567-08</a> ↓	8 ft
AT&T- CEQ.65657 EMI- <a href="#">1000-0010-0567-10</a> ↓	10 ft
AT&T- CEQ.65658 EMI- <a href="#">1000-0010-0567-12</a> ↓	12 ft
AT&T- CEQ.65651 EMI- <a href="#">1000-0010-0567-14</a> ↓	14 ft
AT&T- CEQ.65659 EMI- <a href="#">1000-0010-0567-16</a> ↓	16 ft
AT&T- CEQ.65665 EMI- <a href="#">1000-0010-0567-18</a> ↓	18 ft
AT&T- CEQ.65654 EMI- <a href="#">1000-0010-0567-20</a> ↓	20 ft

↓ Click the EMI part number to download drawing.

### Description

Generator up to 50 kW elevated platform kit, 192"x 120" up to 50KW Genset. Includes stairs and landings. Helical foundations not included.



### Part Number

AT&T- CEQ.65650 EMI- [1000-0030-0251](#) ↓

### Description



Thern 500 lb. Ensign Series Davit crane, model 5PA5-M1 powder coated crane with hand winch (M4022PB-K) and 5bp5 pedestal base (powder coated)

### Part Number

AT&T- CEQ.65668 EMI- [1000-0030-0253](#) ↓

### Description

Quantity of 5, 10"x21' Triple Flight Helical Anchor Kit



## 192" x 120" Generator up to 50 kW Elevated Platform w/ Ladder [Non-Standard Option] *Order only for real-estate constraint sites*

Part Number	Elevation
AT&T- CEQ.65656 EMI- <a href="#">1000-0010-0571-04</a> ↓	4 ft
AT&T- CEQ.65661 EMI- <a href="#">1000-0010-0571-06</a> ↓	6 ft
AT&T- CEQ.65653 EMI- <a href="#">1000-0010-0571-08</a> ↓	8 ft*
AT&T- CEQ.65660 EMI- <a href="#">1000-0010-0571-10</a> ↓	10 ft*
AT&T- CEQ.65662 EMI- <a href="#">1000-0010-0571-12</a> ↓	12 ft*
AT&T- CEQ.65655 EMI- <a href="#">1000-0010-0571-14</a> ↓	14 ft*
AT&T- CEQ.65648 EMI- <a href="#">1000-0010-0571-16</a> ↓	16 ft*
AT&T- CEQ.65647 EMI- <a href="#">1000-0010-0571-18</a> ↓	18 ft*
AT&T- CEQ.65664 EMI- <a href="#">1000-0010-0571-20</a> ↓	20 ft*

↓ Click the EMI part number to download drawing.

### Description

Generator up to 50 kW elevated platform kit, 192"x 120" up to 50KW Genset. Includes entry ladder (and safety climb arrest above 6 ft elevation). Helical foundations not included.  
\*Includes safety climb system.

### Part Number

AT&T- CEQ.65650 EMI- [1000-0030-0251](#) ↓

### Description





Thern 500 lb. Ensign Series Davit crane, model 5PA5-M1 powder coated crane with hand winch (M4022PB-K) and 5bp5 pedestal base (powder coated)

### Part Number

AT&T- CEQ.65668 EMI- [1000-0030-0252](#) ↓

### Description

Quantity of 4, 10"x21' Triple Flight Helical Anchor Kit



## 102" x 75" Generator up to 50 kW Gravity/Pad Mount Platform

### Part Number

**AT&T-** CEQ.54437      **EMI-** [1010-0010-0118](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

Generator up to 50 kW gravity mount platform assembly 102" x 75" with steel grating and leveling feet.

### Single Step Kit Sold Separately

### Part Number

**AT&T-** CEQ.51664      **EMI-** [1003-0000-0020](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

Single step stair kit 45 degree including hardware.

## 156" x 106" 50 kW Genset Gravity/Pad Mount Platform


### Part Number

**AT&T-** CEQ.48196      **EMI-** [1010-0010-0171](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

Generator up to 50 kW gravity mount platform kit 156" x 106" with 1" steel grating and 8 leveling feet grade level.



## 53" x 35" Vertical Polar Generator Helical Mount Plinth

This two helical generator platform utilizes the same helices used on the WIC. Grounding locations are on four sides to accommodate any site layout. It is specifically designed for the vertical Polar generator.



### Part Number

AT&T- CEQ.53652      EMI- [1000-0010-0075](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

Vertical Polar generator plinth 53" x 35" kit with 6" dia. x 7' high helical foundations and leveling hardware.



## 72" x 53" Helical Mount Generator Platform

One of these platforms will accommodate all generators up to 20kW. Grounding locations are on all sides to support any site layout. Platform includes a rodent guard for generators that need it.


### Part Number

AT&T- CEQ.53665      EMI- [1000-0010-0109](#) ↓

↓ [Click the EMI part number to download drawing.](#)

### Description

Generator platform kit 72" x 53" with 6" dia. x 7' high helical foundations and leveling hardware.



## 144" x 53" Helical Mount Generator Platform

Two of these platforms bolted together will accommodate generators up to 30kW. Grounding locations are on three sides to support any site layout. Platform includes rodent guard for generators that need it. All hardware provided.



### Part Number

AT&T- CEQ.53665 X2     EMI- [1000-0010-0109](#) X2 ↓

↓ Click the EMI part number to download drawing.

### Description

Generator platform kit 144" x 53" with 6" dia. x 7' high helical foundations and leveling hardware.





## 53" x 36" Vertical Generator Pad Mount Plinth

### Part Number



AT&T- CEQ.53678

EMI- [1000-0000-0115](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

Vertical generator plinth for concrete mount 53" x 36" with anchor base plates and leveling hardware.



## 228" x 43 3/8" Generator Plinth Kit

### Part Number



AT&T- NEQ.20738

EMI- W-000-954 ↓

↓ Click the EMI part number to download drawing.

### Description

Generator rail plinth kit 228" x 43 3/8" platform. Includes genset clamp kit, grating and ground bar kit.



## 48" x 48" WUC Gravity/Pad Mount Platform for Growth


### Part Number

**AT&T-** CEQ.59358      **EMI-** [1000-0030-0203](#) ↓

↓ [Click the EMI part number to download drawing.](#)

### Description

48" x 48" WUC/genset gravity mount platform kit with 1" steel grating and 4 leveling feet grade level.



## 6" Diameter x 7' Quad Mount Helical Foundation Kit



### Part Number

AT&T- CEQ.54367      EMI- [1000-0020-0034](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

6" dia. x 7' high helical foundation (4 unit kit) with quad mount leveling hardware.



## 10" Diameter 10' Single Stud Helical Foundation Kit




### Part Number

AT&T- CEQ.53658      EMI- [1008-0050-0011](#) ↓

↓ Click the EMI part number to download drawing.

### Description

10" dia. x 10' high helical foundation (4 unit kit), single stud leveling.



## 10" Diameter 21' Triple Flight Helical Foundation Kit

### Part Number


AT&T- CEQ.59815

EMI- [1000-0030-0243](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

10" dia. x 11' high helical foundation with 10' extension (7 unit kit), quad mount leveling.





## 6" Diameter Pad Mount Extension Single Stud Mount [4 Pk]

### Part Number



AT&T- CEQ.53682

EMI- [1008-0030-0005](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

6" dia. x 8" high concrete pad mount extension (4 unit kit), with single stud mount leveling hardware.



## 6" Diameter Pad Mount Extension Quad Mount

### Part Number



AT&T- CEQ.\*\*\*\*\*

EMI- [1000-0030-0047](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

6" dia. x 6" high concrete pad mount extension with quad mount leveling hardware.



## Single Step Stair Kit



### Part Number

**AT&T-** CEQ.51664      **EMI-** [1003-0000-0020](#) ↓

↓ [Click the EMI part number to download drawing.](#)

### Description

WUC single step stair kit 45 degree including hardware.



## WIC & Genset Platform Fully Grated Conversion Kit



### Part Number

**AT&T-** CEQ.53677      **EMI-** [1000-0010-0160](#) ↓

↓ [Click the EMI part number to download drawing.](#)


### Description

Conversion kit to modify 80" x 80" genset platform to fully grated for WUC or cabinet installation.



## 10" Diameter Foundation Extensions

Part Number	Elevation
AT&T- CEQ.57167 EMI- <a href="#">1007-T010-0600</a> ↓	5 ft
AT&T- CEQ.57164 EMI- <a href="#">1007-T010-1200</a> ↓	10 ft
↓ Click the EMI part number to download drawing.	
Description	
5 & 10 ft. extensions for outdoor elevated WIC-WUC	
Special Notes	
The linked table drawing <a href="#">1007-T010-0000</a> contains all extension part numbers by elevation.	



## Canopy for WIC-WUC Outdoor Platform - 0146 & 0557



### Part Number

AT&T- CEQ.57485      EMI- [1001-0030-0036](#) ↓

↓ Click the EMI part number to download drawing.

### Description

184" x 117" bolt together canopy for WIC and WUC outdoor platform series 1000-0010-0146.



## 114" X 144" Pad Mount Canopy


### Part Number

AT&T- CEQ.59292      EMI- 1001-0030-0075 ↓



↓ Click the EMI part number to download drawing.

### Description

114" x 144" Concrete mounted canopy kit.



FRAME ONLY



## 302" X 130" Pad Mount Solar Canopy Frame for WIC and Generator


### Part Number

**AT&T-** CEQ.59800 **EMI-** [1001-0030-0097](#) ↓

↓ Click the **EMI** part number to download drawing.


### Description

302" x 130" Concrete mounted canopy frame kit for use with solar panel mounting kits below.



## Solar Panel Mount Kit for 1001-0030-0097

Panel Model	Part Number	MAX QTY
MITREX M405-LH3 / M405-I3H	<b>AT&amp;T-</b> CEQ.60944 <b>EMI-</b> <a href="#">1000-0030-0241</a> ↓	14
↓ Click the <b>EMI</b> part number to download drawing.		



## WIC Concrete Mount

### Part Number

**AT&T-** CEQ.53655 **EMI-** [1007-0000-0012](#) ↓

↓ Click the **EMI** part number to download drawing.

### Description

WIC pad mount corner kit, 17" mounting feet, 2-step stair with leveling hardware.

