



AT&T WIC, WUC and Generator Foundation Ordering Guide



1-800-453-0050

www.emiproducs.com

11230 Neeshaw Drive, Houston, Texas 77065

Table of Contents

WIC Platform	Page
80" x 80" WIC Gravity/Pad Mount	4
10' x 10' WIC Gravity/Pad Mount	4
WIC Helical Mount	5
WIC Concrete Mount	6
WIC/Combo Platforms	Page
182" x 80" WIC/Combo Elevated Platform	7
230" x 145" WIC/Combo Elevated Platform	8
230" x 145" WIC/Combo Elevated Platform w/o helicals	9
166" x 80" WIC/Combo Gravity Mount Skid Platform	10
166" x 80" WIC/Combo Helical Mount Grade Platform	11
166" x 80" WIC/WICG Gravity Mount Skid Platform	12
166" x 80" WIC/WICG Helical Mount Grade Platform	13
WUC Platform	Page
102" x 75" WUC Gravity/Pad Mount w/Step	16
102" x 75" WUC Gravity/Pad Mount	17
156" x 106" WUC - 3Bay/Genset Gravity/Pad Mount	18
180" x 87 1/4" WUC/Combo Platform w/ Canopy	19
180" x 87 1/4" WUC/Combo Platform w/o Canopy	20
180" x 87 1/4" WUC/Combo Platform w/ Mesh Canopy	21
Generator Platforms Cont.	Page
192" x 120" Generator up to 50 kW Elv. Platform w/ Stairs	22
192" x 120" Generator up to 50 kW Elv. Platform w/ Ladder	23
156" x 106" Generator up to 50 kW Grav/Pad Mnt Platform	24

Generator Platforms Cont.	Page
9' x 4' Pad Mount Generator Platform	25
9' x 10' Pad Mount Generator Platform	25
53" x 35" Vertical Polar Generator Helical Mount Plinth	26
72" x 53" Helical Mount Generator Platform	27
144" x 53" Helical Mount Generator Platform	28
53" x 36" Vertical Generator Pad Mount Plinth	29
228" x 43 3/8" Generator Plinth Kit	30
Foundations	Page
6" Diameter x 7' Quad Mount Helical Kit	31
10" Diameter x 10' Single Stud Mount Helical Kit (4 Pk)	32
10" Diameter x 21' Triple Flight Helical & Ext. Kit (7 Pk)	33
6" Dia. Pad Mount Extension Single Stud Mount (4 Pk)	33
6" Diameter Pad Mount Extension Quad Mount	34
10" Diameter Foundation Extensions	35
Accessories	Page
Platform Extension "Wing" Kit	14
WIC/Combo 90° Stair Landing Kits	15
Single Step Stair Kit	36
WIC & Genset Platform Fully Grated Conversion Kit	36
Canopy for WIC - WUC Outdoor Platform - 0146	37
114" X 144" Pad Mount Canopy	38
302" X 130" Pad Mount Solar Canopy Frame & Panel kits	39

AT&T WIC [WALK IN CABINET]

AT&T Standards determine the selection of foundation type.

1. Helical - 92% locations nationwide (standard option).
2. Concrete Pier/Gravity Mount - Rocky terrain/mountain top locations (where helical is not an option due to ground conditions).
3. Concrete Pad - Existing pad (no new pouring). Space available on the existing pad due to decommission of legacy enclosures, relocation.



80" x 80" WIC Gravity/Pad Mount

Part Number

AT&T- CEQ.53686 **EMI-** [1000-0000-0103](#) ↓
↓ Click the **EMI** part number to download drawing.

Description


80" x 80" WIC gravity/pad mount platform kit, 2-step stair with leveling hardware.

Part Number

AT&T- CEQ.46388 **EMI-** [1000-0000-0162](#) ↓
↓ Click the **EMI** part number to download drawing.

Description

10' x 10' WIC gravity/pad mount platform kit, 2-step stair with leveling hardware.



WIC Helical Mount

Part Number


AT&T- CEQ.53680

EMI- [1000-0000-0101](#) ↓

↓ [Click the EMI part number to download drawing.](#)

Description

WIC corner mount helical kit, 2-step stair with leveling hardware.



WIC Concrete Mount

Part Number





AT&T- CEQ.53655

EMI- [1007-0000-0012](#) ↓

↓ [Click the EMI part number to download drawing.](#)



Description

WIC pad mount corner kit, 17" mounting feet, 2-step stair with leveling hardware.



182" x 80" WIC/Combo Elevated Platform

Part Number		Elevation
AT&T- CEQ.53687	EMI- 1000-0010-0090-03 ↓	3 ft
AT&T- CEQ.*****	EMI- 1000-0010-0090-04 ↓	4 ft
AT&T- CEQ.53670	EMI- 1000-0010-0090-06 ↓	6 ft
↓ Click the EMI part number to download drawing.		
Description		
Elevated WIC-genset combo platform kit, 182" x 80" for 3' to 6' elevations. Includes helicals and entry stair.		



GRATING REMOVED FOR CLARITY

WUC/Combo Elevated Platform **Required** Conversion Kit & Optional Canopy [0146]

Part Number	Elevation
AT&T- CEQ.53671 EMI- 1000-0010-0146-04 ↓	4 ft
AT&T- CEQ.53666 EMI- 1000-0010-0146-06 ↓	6 ft
AT&T- CEQ.53656 EMI- 1000-0010-0146-08 ↓	8 ft
AT&T- CEQ.53659 EMI- 1000-0010-0146-10 ↓	10 ft
AT&T- CEQ.53664 EMI- 1000-0010-0146-12 ↓	12 ft
AT&T- CEQ.57514 EMI- 1000-0010-0146-14 ↓	14 ft
AT&T- CEQ.57484 EMI- 1000-0010-0146-16 ↓	16 ft
AT&T- CEQ.57168 EMI- 1000-0010-0146-18 ↓	18 ft
AT&T- CEQ.57166 EMI- 1000-0010-0146-20 ↓	20 ft

↓ Click the EMI part number to download drawing.

Description

Elevated WUC-genset combo platform kit, 230"x145" up to 30KW Genset on the back. Includes 10" dia. helical foundations and entry stair. 90 degree landing included in all elevations

Special Notes

MUST BE ORDERED WITH CONVERSION KIT PART # 1000-0010-0160 - Grating KIT

Part Number

AT&T- CEQ.53677 EMI- 1000-0010-0160 ↓

Description





Conversion kit to modify 80" x 80" genset platform to fully grated for WUC or cabinet installation.

Part Number

AT&T- CEQ.57485 EMI- 1001-0030-0036 ↓

Description

184" x 117" bolt together canopy for WIC and WUC outdoor platform series 1000-0010-0146 and 1000-0010-0557.



EMI 1000-0010-0146-04 series platforms are approved for use with the included helical kit, provided that presumptive soil values listed in Annex F of TIA-222-H are met. It is the responsibility of the Owner to verify that site-specific soil conditions meet or exceed the mechanical properties referenced in Annex F. For platforms with elevations greater than 4'-0", contact EMI for project-specific foundation design and verification.

WUC/Combo Elevated Platform **Required** Conversion Kit & Optional Canopy [0557]

Part Number	Elevation
AT&T- CEQ.59829 EMI- 1000-0010-0557-04 ↓	4 ft
AT&T- CEQ.59822 EMI- 1000-0010-0557-06 ↓	6 ft
AT&T- CEQ.59814 EMI- 1000-0010-0557-08 ↓	8 ft
AT&T- CEQ.59831 EMI- 1000-0010-0557-10 ↓	10 ft
AT&T- CEQ.59827 EMI- 1000-0010-0557-12 ↓	12 ft
AT&T- CEQ.59824 EMI- 1000-0010-0557-14 ↓	14 ft
AT&T- CEQ.59825 EMI- 1000-0010-0557-16 ↓	16 ft
AT&T- CEQ.59832 EMI- 1000-0010-0557-18 ↓	18 ft
AT&T- CEQ.59833 EMI- 1000-0010-0557-20 ↓	20 ft

↓ Click the EMI part number to download drawing.

Description

Elevated WUC-genset combo platform kit, 230"x145" up to 30KW Genset on the back. Includes entry stair. 90 degree landing included in all elevations. Does not include helical foundations.

Special Notes

MUST BE ORDERED WITH CONVERSION KIT PART # 1000-0010-0160 - Grating KIT

Part Number

AT&T- CEQ.53677 EMI- [1000-0010-0160](#) ↓

Description





Conversion kit to modify 80" x 80" genset platform to fully grated for WUC or cabinet installation.

Part Number

AT&T- CEQ.57485 EMI- [1001-0030-0036](#) ↓

Description

184" x 117" bolt together canopy for WIC and WUC outdoor platform series 1000-0010-0146 and 1000-0010-0557.



EMI 1000-0010-0146-04 series platforms are approved for use with the included helical kit, provided that presumptive soil values listed in Annex F of TIA-222-H are met. It is the responsibility of the Owner to verify that site-specific soil conditions meet or exceed the mechanical properties referenced in Annex F. For platforms with elevations greater than 4'-0", contact EMI for project-specific foundation design and verification.

166" x 80" WIC/Combo Gravity Mount Skid Platform

Part Number



AT&T- CEQ.53657

EMI- [1000-0010-0123](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WIC-genset combo 166"x 80" gravity mount platform for 80"x80" WIC and genset. Includes 2-step, 3-step stair and gravity mount foundations



166" x 80" WIC/Combo Helical Mount Grade Platform

Part Number



AT&T- CEQ.53663

EMI- [1000-0010-0122](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WIC-genset combo 166"x 80" helical mount platform and genset. Includes 1-step, 2-step entry stair and helical foundations.



166" x 80" WIC/WICG Gravity Mount Skid Platform

Part Number



AT&T- CEQ.53662

EMI- [1000-0010-0179](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WIC/WICG combo platform kit for 80"x 80" WIC and 20kW ID genset, includes (2) 2-step entry stairs and gravity mount foundations.



166" x 80" WIC/WICG Helical Mount Grade Platform

Part Number



AT&T- CEQ.53684

EMI- [1000-0010-0171](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WIC/WICG combo platform kit for 80"x 80" WIC and 20kW ID genset, includes (2) 2-step entry stairs and helical foundations.



Platform Extension "Wing" Kit

Part Number



AT&T- CEQ.53681 **EMI-** [1000-0020-0032](#) ↓
 ↓ Click the **EMI** part number to download drawing.

Description

OD cabinet platform 30kW generator extension with two 12" extension wings set.



For Use On The Following Platforms

EMI- [1000-0010-0122](#) ↓
EMI- [1000-0010-0123](#) ↓
EMI- [1000-0010-0102](#) ↓
EMI- [1000-0010-0128](#) ↓
EMI- [1000-0010-0131](#) ↓



WIC/Combo 90° Stair Landing Kits

Part Number	Elevation
AT&T- CEQ.53653 EMI- 1000-0010-0161-04 ↓	4 ft
AT&T- CEQ.53685 EMI- 1000-0010-0161-06 ↓	6 ft
AT&T- CEQ.53683 EMI- 1000-0010-0161-08 ↓	8 ft
AT&T- CEQ.53651 EMI- 1000-0010-0161-10 ↓	10 ft
AT&T- CEQ.***** EMI- 1000-0010-0161-12 ↓	12 ft
↓ Click the EMI part number to download drawing.	
Description	
4' to 12' elevation stair kit for WIC combo platform, to add a 90 degree stair entry.	



102" x 75" WUC Gravity/Pad Mount Platform



WUC is an aluminum construction cabinet arranged for third-party AC load center, DC power system, batteries, and load equipment. 3-bay cabinet trays, 18kW equipment space, 14RU power system space, 3 battery trays, 18kW capacity door mounted thermosiphon HEX cooling, rear access hatches, 6kW capacity DC heaters.

Part Number

AT&T- CEQ.43621 EMI- [1000-0010-0238](#) ↓
 ↓ Click the EMI part number to download drawing.

Description

WUC gravity/pad mount platform 102" x 75" with leveling hardware.



102" x 75" WUC Gravity/Pad Mount Platform & Optional Single Step Kit

Part Number

AT&T- CEQ.54437 **EMI-** [1010-0010-0118](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WUC gravity mount platform assembly 102" x 75" with steel grating and leveling feet.

Single Step Kit Sold Separately

Part Number

AT&T- CEQ.51664 **EMI-** [1003-0000-0020](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WUC single step stair kit 45 degree including hardware.



Part Number

AT&T- CEQ.65872 **EMI-** [1001-0030-0106](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

120" x 96" Ice Bridge Canopy (expanded metal)
*concrete pad installation only



156" x 106" WUC - 3 Bay/Genset Gravity/Pad Mount Platform

Part Number

AT&T- CEQ.48196 EMI- [1010-0010-0171](#) ↓

↓ Click the EMI part number to download drawing.

Description

3-Bay WUC/genset gravity mount platform kit 156" x 106" with 1" steel grating and 8 leveling feet grade level.

156" x 106" WUC - 3 Bay/Genset Helical Mount Platform

Part Number

AT&T- CEQ.65863 EMI- [1000-0010-0597](#) ↓

↓ Click the EMI part number to download drawing.

Description

Generator up to 50 kW gravity mount platform kit 156" x 106" with 1" steel grating and 8 Qty 6" x 10' helical foundations and leveling hardware.

Single Step Kit Sold Separately

Part Number

AT&T- CEQ.51664 EMI- [1003-0000-0020](#) ↓

↓ Click the EMI part number to download drawing.

Description

Single step stair kit 45 degree including hardware.




Part Number

AT&T- CEQ.65876 EMI- [1001-0030-0107](#) ↓

↓ Click the EMI part number to download drawing.

Description

150" x 106" Ice Bridge Canopy (expanded metal)



180" x 87 1/4" WUC/Combo Platform with Canopy & Optional Wing Kit for 30kW Genset

Part Number	Elevation
AT&T- CEQ.53654 EMI- 1000-0010-0102-FC ↓	Ground
AT&T- CEQ.53679 EMI- 1000-0010-0102-SC ↓	Ground
↓ Click the EMI part number to download drawing.	

Description

OD cabinet equipment platform w/canopy 180" x 87 1/4". Includes stair kit, lighting, and unistruts.

Special Notes


FC - Factory Configured - pre-assembled unit
 SC - Site Configured - on-site assembly
 4 ft elevated unit uses ladder for compact footprint

Part Number

AT&T- CEQ.53681 EMI- [1000-0020-0032](#) ↓


Description

OD cabinet platform 30kW generator extension with two 12" extension wings set.




Helical and Concrete Foundations Sold Separately

Part Number
AT&T- CEQ.53658 EMI- 1008-0050-0011 ↓
Description
10" dia. x 10' high helical foundation (4 unit kit), single stud leveling.
Part Number
AT&T- CEQ.53682 EMI- 1008-0030-0005 ↓
Description
6" dia. x 8' high concrete mount extension with single stud leveling hardware. (4 unit Kit)



Optional wing kit shown on platform 1001-0020-0058 for illustrative purposes.



180" x 87 1/4" WUC/Combo Platform without Canopy & Optional Wing Kit for 30kW Genset

Part Number

AT&T- CEQ.53675 EMI- [1000-0010-0128-FC](#) ↓

AT&T- CEQ.53675 EMI- [1000-0010-0128-SC](#) ↓

↓ Click the EMI part number to download drawing.

Description

OD cabinet gravity platform without canopy 180" x 87 1/4". Includes 1-step entry stair, gravity mount feet and unistrut kit, factory assembled.

Special Notes

FC - Factory Configured - pre-assembled unit
SC - Site Configured - on-site assembly
4 ft elevated unit uses ladder for compact footprint



Part Number

AT&T- CEQ.53681 EMI- [1000-0020-0032](#) ↓


↓ Click the EMI part number to download drawing.

Description

OD cabinet platform 30kW generator extension with two 12" extension wings set.



Optional wing kit shown on platform 1001-0020-0058 for illustrative purposes.



180" x 87 1/4" WUC/Combo Platform with Mesh Canopy & Optional Wing Kit for 30kW Genset

Part Number

AT&T- CEQ.53661 EMI- [1000-0010-0131-FC](#) ↓

AT&T- CEQ.53673 EMI- [1000-0010-0131-SC](#) ↓

↓ Click the EMI part number to download drawing.

Description

OD cabinet gravity platform 180" x 87 1/4" with expanded metal canopy (not solid). Includes 1-step entry stair, gravity mount feet and unistrut kit.

Special Notes

FC - Factory Configured - pre-assembled unit
SC - Site Configured - on-site assembly



Part Number

AT&T- CEQ.53681 EMI- [1000-0020-0032](#) ↓


↓ Click the EMI part number to download drawing.

Description

OD cabinet platform 30kW generator extension with two 12" extension wings set.



Optional wing kit shown on platform 1001-0020-0058 for illustrative purposes.



192" x 120" Generator up to 50 kW Elevated Platform with Stairs

AT&T- CEQ.65649	EMI- 1000-0010-0567-04	↓	4 ft
AT&T- CEQ.65663	EMI- 1000-0010-0567-06	↓	6 ft
AT&T- CEQ.65652	EMI- 1000-0010-0567-08	↓	8 ft
AT&T- CEQ.65657	EMI- 1000-0010-0567-10	↓	10 ft
AT&T- CEQ.65658	EMI- 1000-0010-0567-12	↓	12 ft
AT&T- CEQ.65651	EMI- 1000-0010-0567-14	↓	14 ft
AT&T- CEQ.65659	EMI- 1000-0010-0567-16	↓	16 ft
AT&T- CEQ.65665	EMI- 1000-0010-0567-18	↓	18 ft
AT&T- CEQ.65654	EMI- 1000-0010-0567-20	↓	20 ft

↓ Click the EMI part number to download drawing.

Generator up to 50 kW elevated platform kit, 192"x 120" up to 50KW Genset. Includes stairs and landings. Helical foundations not included.

Options

Crane

AT&T- CEQ.65650	EMI- 1000-0030-0251	↓
-----------------	-------------------------------------	---

Thern 500 lb. Ensign Series Davit crane, model 5PA5-M1 powder coated crane with hand winch (M4022PB-K) and 5bp5 pedestal base (powder coated)

5X Helical Kit

AT&T- CEQ.65668	EMI- 1000-0030-0253	↓
-----------------	-------------------------------------	---

Quantity of 5, 10" x 21' Triple Flight Helical Anchor Kit (*below 14'*)

6X Helical Kit





AT&T- CEQ.66043	EMI- 1000-0030-0263	↓
-----------------	-------------------------------------	---

Quantity of 6, 10" x 21' Triple Flight Helical Anchor Kit (*14' and above*)

Ice Bridge Canopy

AT&T- CEQ.65862	EMI- 1001-0030-0105	↓
-----------------	-------------------------------------	---

192 x 120' Ice Bridge Canopy (expanded metal)






192" x 120" Generator up to 50 kW Elevated Platform w/ Ladder [Non-Standard Option] *Order only for real-estate constraint sites*

AT&T- CEQ.65656	EMI- 1000-0010-0571-04	↓	4 ft
AT&T- CEQ.65661	EMI- 1000-0010-0571-06	↓	6 ft
AT&T- CEQ.65653	EMI- 1000-0010-0571-08	↓	8 ft*
AT&T- CEQ.65660	EMI- 1000-0010-0571-10	↓	10 ft*
AT&T- CEQ.65662	EMI- 1000-0010-0571-12	↓	12 ft*
AT&T- CEQ.65655	EMI- 1000-0010-0571-14	↓	14 ft*
AT&T- CEQ.65648	EMI- 1000-0010-0571-16	↓	16 ft*
AT&T- CEQ.65647	EMI- 1000-0010-0571-18	↓	18 ft*
AT&T- CEQ.65664	EMI- 1000-0010-0571-20	↓	20 ft*

↓ Click the EMI part number to download drawing.

Generator up to 50 kW elevated platform kit, 192"x 120" up to 50KW Genset. Includes entry ladder (and safety climb arrest above 6 ft elevation). Helical foundations not included.

**Includes safety climb system.*



Options

Crane

AT&T- CEQ.65650	EMI- 1000-0030-0251	↓
-----------------	-------------------------------------	---

Thern 500 lb. Ensign Series Davit crane, model 5PA5-M1 powder coated crane with hand winch (M4022PB-K) and 5bp5 pedestal base (powder coated)

5X Helical Kit


AT&T- CEQ.65668	EMI- 1000-0030-0252	↓
-----------------	-------------------------------------	---

Quantity of 4, 10" x 21' Triple Flight Helical Anchor Kit

Ice Bridge Canopy

AT&T- CEQ.65862	EMI- 1001-0030-0105	↓
-----------------	-------------------------------------	---

192 x 120' Ice Bridge Canopy (expanded metal)



156" x 106" 50 kW Genset 3' elevated Gravity/Pad Mount Platform



Part Number

AT&T- CEQ.65867 EMI- [1000-0010-0596](#) ↓

↓ Click the EMI part number to download drawing.

Description

Generator up to 50 kW gravity mount platform kit 156" x 106" with 1" steel grating, 8 - 26" elevated leveling feet, and safety railing.




Part Number

AT&T- CEQ.65876 EMI- [1001-0030-0107](#) ↓

↓ Click the EMI part number to download drawing.

Description

150" x 106" Ice Bridge Canopy (expanded metal)



9' x 4' Pad Mount Generator Platform

This 9' x 4' platform is designed for all AT&T approved generators up to the Generac 30kW diesel. The generator should be installed in the center of the platform or in any orientation the will fit. Grounding locations are on all four sides to support any site layout. Platform includes a rodent guard for all generators that need it.

Part Number

AT&T- CEQ.53672 **EMI-** [1001-0020-0062](#) ↓

↓ [Click the EMI part number to download drawing.](#)

Description

Gravity mount generator platform with adjustable feet.

10' x 4' Pad Mount Generator Platform

This 10' x 4' platform is designed for all AT&T approved generators up to 50kW. The generator should be installed in the center of the platform or in any orientation the will fit. Grounding locations are on all four sides to support any site layout. Platform includes a rodent guard for all generators that need it.

Part Number

AT&T- CEQ.65865 **EMI-** [1001-0000-0073](#) ↓

Description

Gravity mount generator platform with adjustable feet.

Part Number

AT&T- CEQ.65872 **EMI-** [1001-0030-0106](#) ↓

Description

120" x 96" Ice Bridge Canopy (expanded metal)

Part Number

AT&T- CEQ.65869 **EMI-** [1000-0030-0254](#) ↓

Description




Quantity of 4, 4" x 7' Helical foundation Kit for canopy only

Part Number

AT&T- CEQ.65871 **EMI-** [1000-0000-0276](#) ↓

Description

Kit containing 0106 Canopy and 0254 helicals



53" x 35" Vertical Polar Generator Helical Mount Plinth

This two helical generator platform utilizes the same helices used on the WIC. Grounding locations are on four sides to accommodate any site layout. It is specifically designed for the vertical Polar generator.



Part Number

AT&T- CEQ.53652 EMI- [1000-0010-0075](#) ↓

↓ [Click the EMI part number to download drawing.](#)

Description

Vertical Polar generator plinth 53" x 35" kit with 6" dia. x 7' high helical foundations and leveling hardware.



72" x 53" Helical Mount Generator Platform

One of these platforms will accommodate all generators up to 20kW. Grounding locations are on all sides to support any site layout. Platform includes a rodent guard for generators that need it.


Part Number

AT&T- CEQ.53665 EMI- [1000-0010-0109](#) ↓

↓ [Click the EMI part number to download drawing.](#)

Description

Generator platform kit 72" x 53" with 6" dia. x 7' high helical foundations and leveling hardware.



144" x 53" Helical Mount Generator Platform

Two of these platforms bolted together will accommodate generators up to 30kW. Grounding locations are on three sides to support any site layout. Platform includes rodent guard for generators that need it. All hardware provided.



Part Number

AT&T- CEQ.53665 X2 EMI- [1000-0010-0109](#) X2 ↓

↓ Click the **EMI** part number to download drawing.

Description

Generator platform kit 144" x 53" with 6" dia. x 7' high helical foundations and leveling hardware.



53" x 36" Vertical Generator Pad Mount Plinth

Part Number



AT&T- CEQ.53678

EMI- [1000-0000-0115](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

Vertical generator plinth for concrete mount 53" x 36" with anchor base plates and leveling hardware.



228" x 43 3/8" Generator Plinth Kit

Part Number

AT&T- NEQ.20738 **EMI-** W-000-954 ↓

↓ Click the **EMI** part number to download drawing.

Description

Generator rail plinth kit 228" x 43 3/8" platform. Includes genset clamp kit, grating and ground bar kit.


Part Number

AT&T- CEQ.20737 **EMI-** 1000-0020-0034 ↓

↓ Click the **EMI** part number to download drawing.

Description

6" dia. x 7' high helical foundation (4 unit kit) with quad mount leveling hardware.



Install platform at grade level when helical foundations are used.

6" Diameter x 7' Quad Mount Helical Foundation Kit



Part Number

AT&T- CEQ.54367 EMI- [1000-0020-0034](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

6" dia. x 7' high helical foundation (4 unit kit) with quad mount leveling hardware.



10" Diameter 10' Single Stud Helical Foundation Kit




Part Number

AT&T- CEQ.53658 EMI- [1008-0050-0011](#) ↓

↓ Click the EMI part number to download drawing.

Description

10" dia. x 10' high helical foundation (4 unit kit), single stud leveling.



10" Diameter 21' Triple Flight Helical Foundation Kit

Part Number


AT&T- CEQ.59815

EMI- [1000-0030-0243](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

10" dia. x 11' high helical foundation with 10' extension (7 unit kit), quad mount leveling.



6" Diameter Pad Mount Extension Single Stud Mount [4 Pk]

Part Number



AT&T- CEQ.53682

EMI- [1008-0030-0005](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

6" dia. x 8" high concrete pad mount extension (4 unit kit), with single stud mount leveling hardware.



6" Diameter Pad Mount Extension Quad Mount

Part Number



AT&T- CEQ.*****

EMI- [1000-0030-0047](#) ↓

↓ Click the **EMI** part number to download drawing.


Description

6" dia. x 6" high concrete pad mount extension with quad mount leveling hardware.



10" Diameter Foundation Extensions

Part Number	Elevation
AT&T- CEQ.57167 EMI- 1007-T010-0600 ↓	5 ft
AT&T- CEQ.57164 EMI- 1007-T010-1200 ↓	10 ft
↓ Click the EMI part number to download drawing.	
Description	
5 & 10 ft. extensions for outdoor elevated WIC-WUC	
Special Notes	
The linked table drawing 1007-T010-0000 contains all extension part numbers by elevation.	



Single Step Stair Kit



Part Number

AT&T- CEQ.51664 **EMI-** [1003-0000-0020](#) ↓

↓ [Click the EMI part number to download drawing.](#)

Description

WUC single step stair kit 45 degree including hardware.



WIC & Genset Platform Fully Grated Conversion Kit



Part Number

AT&T- CEQ.53677 **EMI-** [1000-0010-0160](#) ↓

↓ [Click the EMI part number to download drawing.](#)

Description

Conversion kit to modify 80" x 80" genset platform to fully grated for WUC or cabinet installation.



Canopy for WIC-WUC Outdoor Platform - 0146 & 0557



Part Number

AT&T- CEQ.57485 **EMI-** [1001-0030-0036](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

184" x 117" bolt together canopy for WIC and WUC outdoor platform series 1000-0010-0146.



114" X 144" Pad Mount Canopy


Part Number

AT&T- CEQ.59292 EMI- 1001-0030-0075 ↓



↓ Click the EMI part number to download drawing.

Description

114" x 144" Concrete mounted canopy kit.



FRAME ONLY



302" X 130" Pad Mount Solar Canopy Frame for WIC and Generator


Part Number

AT&T- CEQ.59800 **EMI-** [1001-0030-0097](#) ↓

↓ Click the **EMI** part number to download drawing.


Description

302" x 130" Concrete mounted canopy frame kit for use with solar panel mounting kits below.



Solar Panel Mount Kit for 1001-0030-0097

Panel Model	Part Number	MAX QTY
MITREX M405-LH3 / M405-I3H	AT&T- CEQ.60944 EMI- 1000-0030-0241 ↓	14
↓ Click the EMI part number to download drawing.		



WIC Concrete Mount

Part Number

AT&T- CEQ.53655 **EMI-** [1007-0000-0012](#) ↓

↓ Click the **EMI** part number to download drawing.

Description

WIC pad mount corner kit, 17" mounting feet, 2-step stair with leveling hardware.

